

Test Report	No.: SHHG1310039930FT	Date: NOV.20,2013	Page: 1 of 8
HAWORTH FURNITURE (SHANGHAI) CO., LTD.		

360 XI YA ROAD, WAI GAO QIAO FREE TRADE ZONE, SHANGHAI 200131 CHINA

The following sample(s) was/were submitted and identified by the client as:

Sample Description	: AUDIENCE EXECUTIVE DESK 2400*2230 1PC
Sample Receiving Date	: OCT.24,2013
Testing Period	: OCT.24,2013 TO NOV.20,2013
Test Performed	: SELECTED TEST(S) AS REQUESTED BY APPLICANT
Test Requested	: ANSI/BIFMA X5.5-2008:DESK/TABLE PRODUCTS-
	TESTS – AMERICAN NATIONAL STANDARD FOR
	OFFICE FURNITURE (CLAUSE 4.3, 5.2, 5.3, 5.4, 5.5, 6, 7,
	8, 10.2, 11, 12, 14.2, 14.3, 14.4, 17.2, 17.3, 17.6, 17.12)
Test Result(s)	: FOR FURTHER DETAILS, PLEASE REFER TO THE
	FOLLOWING PAGE(S)
Conclusion	: THE SUBMITTED SAMPLE MET THE TEST
	REQUIREMENT.

Signed for and on behalf of SGS-CSTC Ltd.

Oliva Kou Operation Manager

> This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indempifying and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lis intervector of the Advised to Terms and conditions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exofering all their fight, and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any upstchroized alteration/groups or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the lew. Unless, otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



3⁴⁸Building,No.889,Yishan Road, Xuhui District Shanghai,China 200233 t (86-21)61402666⁴2013 f (86-21)54500353 中国・上海・徐江区宜山路889号3号楼 邮编:200233 t (86-21)61402666⁴2013 f (86-21)54500353



Test Report		No.: SHHG1310039930FT	Date: NOV.20,2013	Page: 2 of 8
Test Conducted:				
ANSI/BIFMA X5.5-2008: Des	k/Ta	ble Products-Tests– American Na	tional Standard For Offic	e Furniture
Testing Condition	:	All the physical test is carry out in	n indoor ambient.	
Nos. of Specimen	:	1 pc.		
Categories of the Specimen	:	Categories I		

Test Result : Pass.

Tests Item	Test method and Requirements	Results-Remark	Rating
4 Stability Test			
4.3 Stability Under Vertical Load Test	Place a 305mm (12in.) diameter disk so that its center is 178mm (7in.) from the edge of the top at the least stable location. If the center of the disk is greater than 305mm (12in.) from a corner of the top, move the disk such that its center is 305mm (12in.) from the corner keeping the edges of the disk equidistant from both sides of the top. If, at the least stable position, the top has a depth less than 356mm (14in.), center the loading disk across the depth at that position Then place a 57kg (125lb.) static load on the disk, the unit shall not tip over.	Keep stable	Pass
5 Unit Strength Test			
5.2 Concentrated Functional Load Test	Apply the specified concentrated load to the primary surface per Table 1 through a 305mm (12in.) diameter disk so that its center is 178mm (7in.) from the unit's edge at its apparent weakest point. For units with lengths greater than 1829 mm (72 in.), two concentrated loads are required Loads shall be allowed to remain for 60 minutes and then remove the concentrated loads. There shall be no loss of serviceability. Upon completion of the test, the force to pull the extendible member shall not exceed 50 N (11.2 lbf.).	Primary surface 1: Length: 2400mm Two loads of 91kg Primary surface 2: Length: 1120mm 91kg load	Pass





herwise stated the resetts shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. SGS 3, Lt. 3st Building,No.889,Yishan Road, Xuhui District Shanghai,China 200233 t (86-21)61402666*2013 f (86-21)54500353 中国・上海・徐江区宜山路889号3号楼 邮编:200233 t (86-21)61402666*2013 f (86-21)54500353



No.: SHHG1310039930FT

Date: NOV.20,2013

Page: 3 of 8

5.3 Distributed Functional Load Test	Apply the specified distributed loads per Table 1. All extendible elements shall be loaded per Table 1 and fully opened for the duration of the test. Loads shall be allowed to remain for 60minutes and then remove. There shall be no loss of serviceability. Upon completion of the test, the force to pull the extendible member shall not exceed 50 N (11.2 lbf.).	Primary surface 1: Perimeter:7000mm Load: 189kg Primary surface 2: Perimeter:3140mm Load: 85kg	Pass
5.4 Concentrated Proof Load Test	The setup shall be performed per Section 5.2.1 with the appropriate concentrated proof load per Table 1, except for the extendible elements, which shall remain loaded and fully extended with the functional loads. Loads shall be allowed to remain for 15 minutes and then removed. There shall be no sudden and major change in the structural integrity of the product. Loss of serviceability is acceptable.	Primary surface 1: Length: 2400mm Two loads of 136kg Primary surface 2: Length: 1120mm 136kg load	Pass
5.5 Distributed Proof Load Test	Using the appropriate distributed proof loads per Table 1, except for the extendible elements, which shall remain loaded and fully extended with the functional loads. Loads shall be allowed to remain for 15 minutes and then removed. There shall be no sudden and major change in the structural integrity of the product. Loss of serviceability is acceptable.	Primary surface 1: Perimeter:7000mm Load: 287kg Primary surface 2: Perimeter:3140mm Load: 129kg	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemotivate and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of liability indemotivation of the source of the document is advised that information contained hereon reflects the Company's findings at the time of from systems and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any upperformized alteration document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



2. 13⁴⁴ Building,No.889,Yishan Road, Xuhui District Shanghai,China 200233 t (86-21)61402666*2013 f (86-21)54500353 Lakoratory 中国・上海・徐江区宜山路889号3号楼 邮编:200233 t (86-21)61402666*2013 f (86-21)54500353 www.cn.sgs.com

e sgs.china@sgs.com



No.: SHHG1310039930FT

Date: NOV.20,2013

Page: 4 of 8

6 Top Load Ease Cycle Test	This test applies to units with tops less than or equal to 965 mm (38 in.) in height or height adjustable units that cannot be adjusted to 965mm (38in.) All elements shall remain loaded with the functional load per Table 1 and then closed for the duration of the test. A 91 kg weight applied by means of a 406 mm diameter bag shall be positioned on the unit top with the edge of the bag within 25 mm (1 in.) from the edge of the surface at the apparent weakest point. The bag shall be raised until the entire weight is off the unit top and then eased (without impact) onto the surface so that it takes the entire weight without any support from the cycling device, for 10000 cycles, at rate of 14 ± 6 cycles per minute. There shall be no loss of serviceability. Upon completion of the test, the force to pull the extendible member shall not exceed 50 N (11.2 lbf.).	Test frequency: 17cpm	Pass
7 Desk/ Table Unit Drop Test	This test does not apply to desk/table units with casters. Determined the weight of the unloaded desk/table units to be test. Raise one end of the long axis of the unloaded units so that the bottom of the base is above the test platform at the height given in Table 3 or at the balance point, whichever is lower. The end of the unit being tested shall be released and allowed a free fall to the test platform. Repeat for the other end of the desk/table unit. There shall be no loss of serviceability. Upon completion of the test, the force to pull the extendible member shall not exceed 50 N (11.2 lbf.).	Drop height: 120mm	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemployates and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of liability, indemployates and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lisin intervestion all their notes and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any upgetionized alteration document or appearance of this document is unlawfui and offenders may be prosecuted to the fullest extent of the law. Unless of therwise stated the realists shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only.



2. Ltd. 3^{cd} Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61402666^s2013 f (86-21)54500353 Laboratory 中国・上海・徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666^s2013 f (86-21)54500353



No.: SHHG1310039930FT

BOFT Date: N

Date: NOV.20,2013

Page: 5 of 8

8 Leg Strength Test	Function Test Attach a loading device to the support member to be loaded. Individually and separately apply the functional horizontal forces ("A" and "B") on 25mm (1 in.) of the end of the support member/ glide assembly that makes contact with the floor. Repeat above step for each unique type supporting member on the desk/table product. There shall be no loss of serviceability. Upon completion of the test, the force to pull the extendible member shall not exceed 50 N (11.2 lbf.). Proof Test Attach a loading device to the support member to be loaded. Individually and separately apply the functional horizontal forces ("A" and "B") on 25mm (1 in.) of the end of the support member/ glide assembly that makes contact with the floor. Repeat above step for each unique type supporting member on the desk/table product. There shall be no sudden and major change in the structural integrity of the product. Loss of serviceability is acceptable.	Function Load: A: 445N B: 222.5N Proof Load: A: 668N B: 334N	Pass
10.2 Cycle Test for Extendible Elements Deeper than Wide	Extendible elements shall be uniformly loaded with the functional load per Table 1. The largest extendible element of each construction/mounting type shall be subjected to 50,000 cycles. There shall be no loss of serviceability. Before and after the cycle test, the extendible element(s) shall meet the pull force requirements of Section 19. After the cycle test, the extendible elements, if applicable shall meet the interlock test requirements of Section 13.	Test load: 9kg Test frequency: 14cpm Left side: 25000cycles Right side: 25000cycles	Pass
11 Extendible Element Retention Impact and Durability Test	No loss of serviceability after: 1. Hold the extendible element 38mm from closed position and release. Restrain the weight after the extendible element open 80% of its total extension. Impact the out stop for 5 times. 2. Move the extendible element 51mm toward the closed position and release. Impact the out stop for 15,000 cycles.	Test load: 4.3kg Test frequency: 16cpm	Pass



2. Ltd. 3^{cd} Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61402666^s2013 f (86-21)54500353 Laboratory 中国・上海・徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666^s2013 f (86-21)54500353



No.: SHHG1310039930FT

Date: NOV.20,2013

Page: 6 of 8

12 Rebound Test	Open the extendible member against the force gauge until the specified force is reached; release the extendible member allowing the force exerted by the force gauge to close the extendible member. Repeat the test for five times. The rebound position of the extendible member shall not exceed 38 mm (1.5 in.) from its closed position after each of the five closings.	Test load: 9kg	Pass
14 Lock Tests			
14.2 Force Test for Extendible Element Locks	Close and lock all loaded extendible elements. A horizontal outward force of 222 N (50 lbf.) and an outward and upward force (30° from horizontal) of 222 N (50 lbf.) shall be applied once at each of the applicable locations. The extendible elements shall remain in the normal locked position during application of the forces. There shall be no loss of serviceability of the locking mechanism.	/	Pass
14.3 Force Test for Door Locks	Close and lock all doors. Apply a force of 222 N (50 lbf) in the direction of initial door travel. After the test, the doors shall remain in the normal locked position during application of the forces, and there shall be no loss of serviceability of the locking mechanism.	/	Pass
14.4 Locking Mechanism Cycle Test	There shall be no loss of serviceability of the locking mechanism after cycling it through its full range of motion for 5000 cycles. Each cycle shall consist of a complete locking and unlocking of the mechanism.	Test frequency: 18cpm	Pass
17 Door Tests			
17.2 Strength Test for Vertically Hinged, Bi-Fold Doors and Vertically Receding Doors	Attach the specified load per the Table 8. Cycle the door 10 times from a position 45 degrees from fully closed to a position 10 degrees from fully open (but not more than 135 degrees) and return. After the test, there shall be no loss of serviceability.	Door height: 41cm Test load: 10kg	Pass
17.3 Hinge Override Test for Vertically Hinged Doors	No loss of serviceability to the storage unit or its components when apply an 60 N horizontal force perpendicular to the plane of the door on its horizontal centerline 100 mm from the edge farthest from the hinge.	/	Pass
17.6 Wear and Fatigue Test for Hinged Doors and Horizontally Sliding Doors	Cycle the door from a position 10 degrees from fully closed to a position 10 degrees from fully open and return, not to exceed a maximum swing angle of 90 degrees. There shall be no loss of serviceability after cycling the door for a total of 20000 cycles.	Test frequency: 13cpm	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemotivates and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lisin interversion of with the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document document does not exonerate parties to a transaction from expectance all their notes and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unperiod the responsibility is to its Client's instructions, if any. Unless of therwise stated the realities shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



メートレビー 3⁻³⁸ Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21)61402666¹2013 f (86-21)54500353 Laboratory 中国・上海・徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666¹2013 f (86-21)54500353



No.: SHHG1310039930FT

Date: NOV.20,2013

Page: 7 of 8

17.12 Slam Test for Doors which Free Fall Open or Closed	Allow the door to fall open/close freely. Repeat for a total of 50 cycles in each direction (if applicable). There shall be no loss of serviceability to the storage unit or its components.	lsn't slide door or roll door	Not applicable
---	--	----------------------------------	----------------

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. thm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemplorative, and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interveption of with available on Cleans's instructions, if any. The Company's sole responsibility is to its Clean at the document does not exonerate parties to a transaction from expectance all their network and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any uppeting and their networks and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



, Ltd. 3rd Building,No.889,Yishan Road, Xuhui District Shanghai,China 200233 t (86-21)61402666*2013 f (86-21)54500353 Laboratory 中国・上海・徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61402666*2013 f (86-21)54500353



Sample Photo:

No.: SHHG1310039930FT

Date: NOV.20,2013 Page: 8 of 8

Received sample



End of Report

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indempifying and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lis intervector off Bitagrain the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerte parties to a transaction from expression all their fight, and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any upstchroized alteration/gregor or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless, otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



3^{/4} Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21)61402666*2013 f (86-21)54500353 中国・上海・徐江区宜山路889号3号楼 邮编:200233 t (86-21)61402666*2013 f (86-21)54500353

00353 e sgs.china@sgs.com

www.cn.sgs.com

Member of the SGS Group (SGS SA)